

Verbatim LED Batten Luminaire 2 x T8 LED Tube 1200mm

- Kit solution includes a Batten Luminaire and 2 x 4000K LED Tube
- Energy saving alternative to classic T8 batten luminaire
- 40,000 hours lifetime
- Direct mains voltage connection (220-240V)

Product Number	52418
General Data	
Housing material	Iron
Housing colour	White
Protection class	IP20
Lamp Socket	G13
Geometric Data	
Length (mm)	1232
Height (mm)	40
Width	52
Weight (g)	1730
Electric Data	
Wattage (W)	44
Voltage (V)	220-240
Current (mA)	220
Power Factor	0.90
Operating Frequency (Hz)	50-60
Safety Class	Class II
Photometric Data	
Luminous Flux (lm)	3800
CRI	80
CCT (K)	4000
Luminous Efficacy (lm/W)	86.36
Lifespan	
Lifetime (hrs)	40,000
Switching Cycle	20,000
Dimmable	no




01/08/2014

Lifestyle image



Technical Drawings



01/08/2014

Energy Rating

Verbatim52418



This luminaire is compatible with bulbs of the energy classes:

A+

A

B

C

D

E

This luminaire is sold with a bulb of the energy class: A+

874/2012



Technical Packaging Details

Barcode	023942524182
EAN 128	(02)00023942524182(37)04(91)803
EAN 14	50023942524187
Pack Dimensions(HxWxL)	88 x 75 x 1238 (mm)
Pack Weight	2200 (g)
MOQ	4
Carton Dimensions (HxWxL)	215 x 185 x 1275 (mm)
Cartons/Pallet	16
Layers/Pallet	4
Units/Pallet	64

01/08/2014

Mitsubishi Chemical Holdings Group



Verbatim.
Technology you can trust